



STRONG & DURASIE

Unlike normal vinyl floors, Geneziz can withstand changing temperature conditions. The stability of the vinyl plank makes it a better option for large area flooring as compared to conventional vinyl planks.



mm THICKNESS

Unlike normal vinyl floors, Geneziz can withstand changing temperature conditions. The stability of the vinyl plank makes it a better option for large area flooring as compared to conventional vinyl planks.



Made from rigid vinyl, Geneziz has a solid core that has anti-telegraphy properties and is easy to install. This feature effectively eliminates print-through effects.

joints.



Geneziz vinyl floor reduces footfall noise with its 2.0 mm acoustic underlayment and gives your barefoot a comfortable walking experience. The vinyl floor is quiet even when walking with your shoes on.

















LQM2842 Starlite

Dimension: 1511 x 225 mm
Thickness: 7.50 mm
Wear layer: 0.50 mm
Sqm/ box: 2.04 sqm
Pcs/ carton: 6 pcs















LQM2826 Vivo

Dimension: 1511 x 225 mm
Thickness: 7.50 mm
Wear layer: 0.50 mm
Sqm/box: 2.04 sqm
Pcs/carton: 6 pcs
















LQM2824 Aurora

Dimension: 1511 x 225 mm Thickness: 7.50 mm

Wear layer : 0.50 mm Sqm/box : 2.04 sqm Pcs/ carton : 6 pcs















LQM3159 Arcadia

Dimension: 1511 x 225 mm
Thickness: 7.50 mm
Wear layer: 0.50 mm
Sqm/box: 2.04 sqm
Pcs/ carton: 6 pcs
















LQM3158 Chinos

Dimension: 1511 x 225 mm

Thickness: 7.50 mm
Wear layer: 0.50 mm
Sqm/box: 2.04 sqm
Pcs/ carton: 6 pcs
















LQM3168 Havana

Dimension: 1511 x 225 mm

Thickness: 7.50 mm
Wear layer: 0.50 mm
Sqm/box: 2.04 sqm
Pcs/ carton: 6 pcs
















LQM2841 Oakville

Dimension: 1511 x 225 mm

Thickness: 7.50 mm
Wear layer: 0.50 mm
Sqm/box: 2.04 sqm
Pcs/ carton: 6 pcs















LQM2844 Rockhills

Dimension: 1511 x 225 mm
Thickness: 7.50 mm
Wear layer: 0.50 mm
Sqm/box: 2.04 sqm
Pcs/ carton: 6 pcs

PRODUCT WARRANTY

15 years residential limited warranty * 5 years commercial limited warranty* 15 years structural warranty*

*Terms & conditions apply.

PRODUCT SPECIFICATIONS

















PRODUCT FEATURES

























UTILIZATION CLASSES







INOVAR FLOOR AUSTRALIA

2 Wella Way Somersby NSW 2250 Australia

: 1300 900 501 Tel : 1300 900 502

Email: sales@inovarfloor.com.au







